
St Peter's Catholic School

Medical Science Year 11 Transition Work 2020

Hello! Glad to see you are considering taking this course as part of your sixth form studies. If you are also doing biology, you may notice some overlap as medical science has a lot in common with the start of the A-level biology course.

Overview

Indeed moving from GCSE Science to Level 3 Medical Science can be a daunting leap. You'll be expected to remember a lot more facts and you will need to learn new maths skills and develop confidence in applying what you already know to unfamiliar situations.

This work outlined below aims to give you a head start by helping you to:

- revisit some areas of your GCSE course
- learn some useful facts from the first chapters of your A Level course
- practice of some of the maths skills you'll need
- further your knowledge and awareness of Medical Science and its role in modern day society

Medical Science Level 3 Diploma

The course starts with an in depth study of human anatomy and physiology which underpins the whole of the two year diploma. We examine what is going on at the cellular and biochemical level in human biology and then go on to look at the structure and function of the nine main human body systems. Once a good understanding of the human physiology is gained the course moves on to look at methods used to measure physiological systems and the recording and processing of this data. Towards the end of the first year students will be able to plan, carry out and report the findings of their own research project.

The second year of the course starts by developing knowledge and understanding about the science of medicines. It looks at how medicines affect the body and factors that need to be considered when prescribing medication. The course then moves on to look at what measurements can be made in the laboratory from patient specimens and finally students carry out a case study.

Tasks

Section	What do I need to do?	Purpose	Time /hrs
1 Introduction to Medical Science	Print (this may need to wait until you have printer access) the specification & read through mod 1-3	Helps you keep track of what you need to cover for each module.	0.5
2 GCSE recap	Recap some GCSE topics that will be most useful for the course & work on the ones that were only on triple science	This should get you up to speed with the work that you would have spent time revising for your exams.	2
3 Research	Use some online resources to research some basic biological molecules and answer some questions.	This will be one of the first topics we will start on in September. It will give you a good idea as to how we will start the course.	1.5
4 Cells intro	Recap GCSE cells then research the organelles at advanced level.	Practise what you did at GCSE and extend this to a higher level.	3
5 Maths skills	Answer the questions.	There is a lot of maths in Medical Science, so you need to keep this fresh.	2
6 Exam questions	Answer the questions.	Practise the work from previous sections.	3
7 Research Presentation on physiological measurements	Research the physiological tests	Learn to research a topic and select useful information, before summarising your findings.	3
8 Extras	You choose!	This is where you have the opportunity to do something personal to you that will allow you to develop your interests.	???????

TASK 1

Please download and print off ready to go in your folder the WJEC Medical Science DIPLOMA specification using the link below;

https://www.wjec.co.uk/en/qualifications/medical-science-level-3/?sub_nav_level=course-materials#tab_resources

If you can't print right now, just read through the content for unit 1-3.

TASK 2

The following resources may help you when undertaking the GCSE recap and the 'Researching biological molecules' section (task 3) as well as revision guides or youtube (Mr Pollock; Khan academy; Snap revise; Fuse School; Amoeba sisters and crash course)

<https://www.s-cool.co.uk/gcse/biology>

<https://www.s-cool.co.uk/a-level/biology>

<https://www.senecalearning.com/>

<https://www.bbc.co.uk/bitesize/levels/z98jmp3>

<https://www.kerboodle.com/users/login> To access, I had to click on "Trouble logging in" and put my school email address in the box that is generated. This then asked me set up a password. The institution code is zs0.

www.biologymad.com

<https://www.biotopics.co.uk/wwwlinks.html>

<https://biologyguide.app/>

The following questions will allow you to reflect on some of the areas that you may have studied at GCSE (If you did the trilogy course, these areas will be new to you and so you will have to research harder)

Communicable diseases

1. List three safety precautions you must take when growing microorganisms in the laboratory.
2. Explain the purpose of each step involved in the preparation of an uncontaminated culture of microorganisms on a petri dish.
3. Suggest what might limit the growth of bacteria in a culture on a Petri dish.
4. How would you work out the zone of inhibition?

Monoclonal Antibodies

5. Define the term 'Monoclonal Antibody'.
6. Describe the process of making monoclonal antibodies.
7. Name the two cell types that are fused together to make hybridoma cells.
8. Give two uses of monoclonal antibodies and explain how one of them works.

Nervous system

9. What are the main regions of the brain?
10. Describe the function of your temporal lobe.
11. Describe the results of Broca's work on the frontal lobe.
12. Draw a fully labelled eye and state what the parts all do.
13. Define the terms 'hyperopia' and 'myopia'.
14. Describe the shape of your lens when you are looking at a distant object.
15. Explain the process of accommodation when you look at an object that is close to you.
16. Describe how long sightedness is treated.

Homeostasis

17. What is the optimum temperature for body enzymes?
18. What is vasoconstriction and explain why it happens?
19. What is vasodilation and explain why it happens?
20. Describe how water is lost from the body.
21. Describe how your urine would look if you were dehydrated and how your kidneys bring about this change.
22. What does ADH stand for?
23. Explain how the levels of ADH are altered if you drink more or drink less.
24. Describe the 3 key processes that occur in a nephron.
25. Describe and then evaluate 'Kidney dialysis' and 'Kidney transplant'.

TASK 3

Research biological molecules by answering all the points tabulated below.

What are monomers?	
What are polymers?	
What is a condensation reaction?	
What is a hydrolysis reaction?	
What is a monosaccharide?	
How is a glycosidic bond formed?	
Name the three main examples of polysaccharides.	
Describe Benedict's test for reducing sugars	
Name the two main groups of lipids	
Give four roles of lipids	
What is an ester bond?	
Describe the emulsion test for lipids	
What are the monomers that make up proteins?	
Draw the structure of an amino acid	
How is a peptide bond formed?	
What is a polypeptide?	
Describe the biuret test for proteins	
How does an enzyme affect a reaction?	
Give five factors which can affect enzyme action.	
What is a competitive inhibitor?	
What is a non-competitive inhibitor?	

TASK 4

The work below is what we normally set following your lesson on Induction day - please complete as per instructions




Molecules & Cells


What you should already know

1. Label the diagrams of a plant cell & animal cell.

Animal Cell




Plant Cell



2. State the function of each organelle

-
-
-
-
-
-
-
-

Structure of cells using the electron microscope.



Identify the parts of the cells

The chemicals of life

	Carbohydrates	Proteins	Lipids
Which elements are they made from?			
Are they polymers? Yes/No/some			
Example(s) of polymer(s)			
Name the monomers which make the polymer			

Structure of carbohydrates

In the box below, give the formulae & draw the structure of some monosaccharides and disaccharides.

Tasks to be completed for September

1. Be able to label the parts of a plant or animal cell viewed under the electron microscope.
2. Use the internet/books to find at least 2 different labelled diagrams of plant and animal cells viewed under the electron microscope.
3. Find out the function of the following organelles:-
 - a. Ribosomes
 - b. Rough Endoplasmic reticulum
 - c. Smooth endoplasmic reticulum
 - d. Mitochondria
 - e. ChloroplastsSome of these answers may be similar to GCSE.
4. Be able to list the three main organic molecules found in living things and the atoms they are made of.
5. Be able to draw the structure of alpha glucose.
6. Find out how two glucose molecules bond together to form maltose.

TASK 5

Maths skills – Please complete all of the following questions

1 Numbers and units

1.1 Units and prefixes

A key criterion for success in biological maths lies in the use of correct units and the management of numbers. The units scientists use are from the *Système Internationale* – the SI units. In biology, the most commonly used SI base units are metre (m), kilogram (kg), second (s), and mole (mol). Biologists also use SI derived units, such as square metre (m²), cubic metre (m³), degree Celsius (°C), and litre (l).

To accommodate the huge range of dimensions in our measurements they may be further modified using appropriate prefixes. For example, one thousandth of a second is a millisecond (ms). Some of these prefixes are illustrated in the table below.

Multiplication factor	Prefix	Symbol
10 ⁹	giga	G
10 ⁶	mega	M
10 ³	kilo	k
10 ⁻²	centi	c
10 ⁻³	milli	m
10 ⁻⁶	micro	μ
10 ⁻⁹	nano	n

Practice questions

- 1 A burger contains 4 500 000 J of energy. Write this in: **a** kilojoules **b** megajoules.
- 2 HIV is a virus with a diameter of between 9.0×10^{-8} m and 1.20×10^{-7} m. Write this range in nanometres.

1.2 Powers and indices

Ten squared = $10 \times 10 = 100$ and can be written as 10^2 . This is also called 'ten to the power of 2'.

Ten cubed is 'ten to the power of three' and can be written as $10^3 = 1000$.

The power is also called the index.

Fractions have negative indices:

one tenth = $10^{-1} = 1/10 = 0.1$

one hundredth = $10^{-2} = 1/100 = 0.01$

Any number to the power of 0 is equal to 1, for example, $29^0 = 1$.

If the index is 1, the value is unchanged, for example, $17^1 = 17$.

When multiplying powers of ten, you must *add* the indices.

So $100 \times 1000 = 100\,000$ is the same as $10^2 \times 10^3 = 10^{2+3} = 10^5$

When dividing powers of ten, you must *subtract* the indices.

So $100/1000 = 1/10 = 10^{-1}$ is the same as $10^2/10^3 = 10^{2-3} = 10^{-1}$

But you can only do this when the numbers with the indices are the same.

So $10^2 \times 2^3 = 100 \times 8 = 800$

And you can't do this when adding or subtracting.

$10^2 + 10^3 = 100 + 1000 = 1100$

$10^2 - 10^3 = 100 - 1000 = -900$

Remember: Only add and subtract the indices when you are multiplying or dividing the numbers, not adding or subtracting them.

Practice questions

3 Calculate the following values. Give your answers using indices.

a $10^8 \times 10^3$

b $10^7 \times 10^2 \times 10^3$

c $10^3 + 10^3$

d $10^2 - 10^{-2}$

4 Calculate the following values. Give your answers with and without using indices.

a $10^5 \div 10^4$

b $10^3 \div 10^6$

c $10^2 \div 10^{-4}$

d $100^2 \div 10^2$

1.3 Converting units

When doing calculations, it is important to express your answer using sensible numbers. For example, an answer of 6230 μm would have been more meaningful expressed as 6.2 mm.

If you convert between units and round numbers properly, it allows quoted measurements to be understood within the scale of the observations.

To convert 488 889 m into km:

A kilo is 10^3 so you need to divide by this number, or move the decimal point three places to the left.

$488\,889 \div 10^3 = 488.889 \text{ km}$

However, suppose you are converting from mm to km: you need to go from 10^3 to 10^{-3} , or move the decimal point six places to the left.

333 mm is 0.000 333 km

Alternatively, if you want to convert from 333 mm to nm, you would have to go from 10^{-9} to 10^{-3} , or move the decimal point six places to the right.

333 mm is 333 000 000 nm

Practice question

5 Calculate the following conversions:

a 0.004 m into mm

b 130 000 ms into s

c 31.3 ml into μl

d 104 ng into mg

6 Give the following values in a different unit so they make more sense to the reader.

Choose the final units yourself. (Hint: make the final number as close in magnitude to zero as you can. For example, you would convert 1000 m into 1 km.)

a 0.000 057 m

b 8 600 000 μl

c 68 000 ms d 0.009 cm

2 Decimals, standard form, and significant figures

2.1 Decimal numbers

A decimal number has a decimal point. Each figure *before* the point is a whole number, and the figures *after* the point represent fractions.

The number of decimal places is the number of figures *after* the decimal point. For example, the number 47.38 has 2 decimal places, and 47.380 is the same number to 3 decimal places.

In science, you must write your answer to a sensible number of decimal places.

Practice questions

- 1 New antibiotics are being tested. A student calculates the area of clear zones in Petri dishes in which the antibiotics have been used. List these in order from smallest to largest.
0.0214 cm² 0.03 cm² 0.0218 cm² 0.034 cm²
- 2 A student measures the heights of a number of different plants. List these in order from smallest to largest.
22.003 cm 22.25 cm 12.901 cm 12.03 cm 22 cm

2.2 Standard form

Sometimes scientists need to work with numbers that are very small, such as dimensions of organelles, or very large, such as populations of bacteria. In such cases, the use of scientific notation or standard form is very useful, because it allows the numbers to be written easily.

Standard form is expressing numbers in powers of ten, for example, 1.5×10^7 microorganisms.

Look at this worked example. The number of cells in the human body is approximately 37 200 000 000 000. To write this in standard form, follow these steps:

- Step 1:** Write down the smallest number between 1 and 10 that can be derived from the number to be converted. In this case it would be 3.72
- Step 2:** Write the number of times the decimal place will have to shift to expand this to the original number as powers of ten. On paper this can be done by hopping the decimal over each number like this:

6.3900000000

until the end of the number is reached.

In this example that requires 13 shifts, so the standard form should be written as 3.72×10^{13} .

For very small numbers the same rules apply, except that the decimal point has to hop backwards. For example, 0.000 000 45 would be written as 4.5×10^{-7} .

Practice questions

- 3 Change the following values to standard form. a 3060 kJ b 140 000 kg c 0.000 18 m d 0.000 004 m
- 4 Give the following numbers in standard form. a 100 b 10 000 c 0.01 d 21 000 000
- 5 Give the following as decimals.
a 10^6 b 4.7×10^9 c 1.2×10^{12} d 7.96×10^{-4}

2.3 Significant figures

When you use a calculator to work out a numerical answer, you know that this often results in a large number of decimal places and, in most cases, the final few digits are 'not significant'. It is important to record your data and your answers to calculations to a reasonable number of significant figures. Too many and your answer is claiming an accuracy that it does not have, too few and you are not showing the precision and care required in scientific analysis.

Numbers to 3 significant figures (3 s.f.):

7.88 25.4 741

Bigger and smaller numbers with 3 significant figures:

0.000 147 0.0147 0.245 39 400 96 200 000 (notice that the zeros before the figures and after the figures are *not* significant – they just show you how large the number is by the position of the decimal point).

Numbers to 3 significant figures where the zeros *are* significant:

207 4050 1.01 (any zeros between the other significant figures *are* significant).

Standard form numbers with 3 significant figures:

9.42×10^{-5} 1.56×10^8

If the value you wanted to write to 3.s.f. was 590, then to show the zero was significant you would have to write:

590 (to 3.s.f.) or 5.90×10^2

Remember: For calculations, use the same number of figures as the data in the question with the lowest number of significant figures. It is not possible for the answer to be more accurate than the data in the question.

Practice question

- 6 Write the following numbers to i 2 s.f. and ii 3 s.f.
- a 7644 g
 - b 27.54 m
 - c 4.3333 g
 - d $5.995 \times 10^2 \text{ cm}^3$
- 7 The average mass of oxygen produced by an oak tree is 11800 g per year.
Give this mass in standard form and quote your answer to 2 significant figures.

3 Working with formulae

It is often necessary to use a mathematical formula to calculate quantities. You may be tested on your ability to substitute numbers into formulae or to rearrange formulae to find specific values.

3.1 Substituting into formulae

Think about the data you are given in the question. Write down the equation and then think about how to get the data to substitute into the equation. Look at this worked example.

A cheek cell has a 0.06 mm diameter. Under a microscope it has a diameter 12 mm. What is the magnification?

$$\text{magnification} = \text{image size (mm)} \div \text{object size (mm)} \quad \text{or} \quad M = \frac{I}{O}$$

Substitute the values and calculate the answer: $M = 12 \text{ mm} / 0.06 \text{ mm} = 12 / 0.06 = 200$

Answer: magnification = $\times 200$ (magnification has no units)

Sometimes an equation is more complicated and the steps need to be carried out in a certain order to succeed. A general principle applies here, usually known by the mnemonic BIDMAS. This stands for **B**rackets, **I**ndices (functions such as squaring or powers), **D**ivision, **M**ultiplication, **A**ddition, **S**ubtraction.

Practice questions

- 1 Calculate the magnification of a hair that has a width of 6.6 mm on a photograph. The hair is 165 μm wide.
- 2 Estimate the area of a leaf by treating it as a triangle with base 2 cm and height 9 cm.
- 3 Estimate the area of a cell by treating it as a circle with a diameter of 0.7 μm . Give your answer in μm^2 .
- 4 An *Amoeba* population starts with 24 cells. Calculate how many *Amoeba* cells would be present in the culture after 7 days if each cell divides once every 20 hours. Use the equation $N_t = N_0 \times 2^n$ where N_t = number after time t , N_0 = initial population, n = number of divisions in the given time t .
- 5 In a quadrat sample, an area was found to contain 96 aphids, 4 ladybirds, 22 grasshoppers, and 3 ground beetles. Calculate the diversity of the site using the equation $D = 1 - \sum \left(\frac{n}{N} \right)^2$ where n = number of each species, N = grand total of all species, and D = diversity.

Remember: In this equation there is a part that needs to be done several times then summed, shown by the symbol Σ .

3.2 Rearranging formulae


Sometimes you will need to rearrange an equation to calculate the answer to a question. For example, the relationship between magnification, image size, and actual size of specimens in micrographs usually uses the equation M

$= \frac{I}{O}$, where M is magnification, I is size of the image, and O = actual size of the object.

You can use the algebra you have learnt in Maths to rearrange equations, or you can use a triangle like the one shown.

Cover the quantity you want to find. This leaves you with either a fraction or a multiplication:


$$M = I \div O \qquad O = I \div M \qquad I = M \times O$$



4.2 Calculating the magnification of images

Drawings and photographs of biological specimens should always have a magnification factor stated. This indicates how much larger or smaller the image is compared with the real specimen. The magnification is calculated by comparing the sizes of the image and the real specimen. Look at this worked example.

The image shows a flea which is 1.3 mm long. To calculate the magnification of the image, measure the image (or the scale bar if given) on the paper (in this example, the body length as indicated by the line A–B).



For this image, the length of the image is 42 mm and the length of the real specimen is 1.3 mm.


$$\text{magnification} = \frac{\text{length of image}}{\text{length of real specimen}} = 42/1.3 = 32.31$$

The magnification factor should therefore be written as $\times 32.31$

Remember: Use the same units. A common error is to mix units when performing these calculations. Begin each time by converting measurements to the same units for both the real specimen and the image.

Practice question

- 2 Calculate the magnification factor of a mitochondrion that is 1.5 μm long.



4.3 Calculating real dimensions

Magnification factors on images can be used to calculate the actual size of features shown on drawings and photographs of biological specimens. For example, in a photomicrograph of a cell, individual features can be measured if the magnification is stated. Look at this worked example.

The magnification factor for the image of the open stoma is $\times 5000$.

This can be used to find out the actual size of any part of the cell, for example, the length of one guard cell, measured from A to B.

Step 1: Measure the length of the guard cell as precisely as possible. In this example the image of the guard cell is 52 mm long.


Step 2: Convert this measurement to units appropriate to the image. In this case you should use μm because it is a cell.

So the magnified image is $52 \times 1000 = 52\,000 \mu\text{m}$

Step 3: Rearrange the magnification equation (see Topic 3.2) to get:


real size = size of image/magnification = $52\,000/5000 = 10.4$

So the real length of the guard cell is $10.4 \mu\text{m}$.



Practice question

3 Use the magnification factor to determine the actual size of a bacterial cell.



5 Percentages and uncertainty

A percentage is simply a fraction expressed as a decimal. It is important to be able to calculate routinely, but is often incorrectly calculated in exams. These pages should allow you to practise this skill.

5.1 Calculating percentages as proportions

To work out a percentage, you must identify or calculate the total number using the equation:

$$\text{percentage} = \frac{\text{number you want as a percentage of total number}}{\text{total number}} \times 100\%$$

For example, in a population, the number of people who have brown hair was counted.

The results showed that in the total population of 4600 people, 1800 people had brown hair.

The percentage of people with brown hair is found by calculating:

$$\begin{aligned} & \frac{\text{number of people with brown hair}}{\text{total number of people}} \times 100 \\ & = \frac{1800}{4600} \times 100 = 39.1\% \end{aligned}$$

Practice questions

- 1 The table below shows some data about energy absorbed by a tree in a year and how some of it is transferred.

Energy absorbed by the tree in a year	3 600 000 kJ/m ²
Energy transferred to primary consumers	2240 kJ/m ²
Energy transferred to secondary consumers	480 kJ/m ²

Calculate the percentage of energy absorbed by the tree that is transferred to
a primary consumers **b** secondary consumers.

- 2 One in 17 people in the UK has diabetes.

Calculate the percentage of the UK population that have diabetes.

5.2 Calculating the percentage change

When you work out an increase or a decrease as a percentage change, you must identify, or calculate, the total original amount:

$$\% \text{ increase} = \frac{\text{increase}}{\text{original amount}} \times 100$$

$$\% \text{ decrease} = \frac{\text{decrease}}{\text{original amount}} \times 100$$

Remember: When you calculate a percentage change, use the total *before* the increase or decrease, not the final total.

Practice questions


3 Convert the following mass changes as percentage changes.

Sucrose conc. / mol dm^{-3}	Initial mass / g	Final mass / g	Mass change / g	Percentage change in mass
0.9	1.79	1.06		
0.7	1.86	1.30		
0.5	1.95	1.70		
0.3	1.63	1.76		
0.1	1.82	2.55		

5.3 Measurement uncertainties

When you measure something, there will always be a small difference between the measured value and the true value. This may be because of the size of the scale divisions on your measuring equipment, or the difficulty of taking the measurement. This is called an uncertainty.

To estimate the uncertainty of a measurement with an instrument with a marked scale such as a ruler, a good rule of thumb is to let the uncertainty be equal to half the smallest division on the scale being used.



Using a ruler with a mm scale, the length of the leaf seems to be 74 mm. The smallest division is 1 mm, so the uncertainty is 0.5 mm. The true length is therefore 74 mm \pm 0.5 mm.

Practice question

4 Give the uncertainty for the following pieces of equipment:

- large measuring cylinder with 2 cm^3 divisions
- digital stopwatch timer measuring to the nearest hundredth of a second
- thermometer with 0.1 $^{\circ}\text{C}$ divisions.

5.4 Calculating percentage uncertainties

The uncertainty is the range of possible error either side of the true value due to the scale being used, so the value recorded for the measurement = closest estimate \pm uncertainty.

The difference between the true value and the maximum or minimum value is called the **absolute error**.

Once the absolute error has been established for a particular measurement, it is possible to express this as a percentage uncertainty or **relative error**. The calculation to use is:

$$\text{relative error} = \frac{\text{absolute error}}{\text{measured value}} \times 100\%$$

In the leaf example above, the absolute error is ± 0.5 mm.

The relative error is therefore:

$$0.5/74 \times 100\% = 0.7\%$$

Practice questions

5 Complete the table to show the missing values in the last two columns.

Measurement made	Equipment used	Absolute error	Relative error
Length of a fluid column in a respirometer is 6 mm	mm scale	0.5 mm	
Volume of a syringe is 12 cm ³ of liquid	0.5 cm ³ divisions		
Change in mass of 1.6 g	balance with 2 d.p.		

6 Scatter graphs and lines of best fit

The purpose of a scatter graph with a line of best fit is to allow visualisation of a trend in a set of data. The graph can be used to make calculations, such as rates, and also to judge the correlation between variables. It is easy to draw such a graph but also quite easy to make simple mistakes.

6.1 Plotting scatter graphs

The rules when plotting graphs are:

- Ensure that the graph occupies the majority of the space available:
 - In exams, this means more than half the space
 - Look for the largest number to help you decide the best scale
 - The scale should be based on 1, 2, or 5, or multiples of those numbers
- Ensure that the dependent variable that you measured is on the y-axis and the independent variable that you varied is on the x-axis
- Mark axes using a ruler and divide them clearly and equidistantly (i.e. 10, 20, 30, 40 not 10, 15, 20, 30, 45)
- Ensure that both axes have full titles and units are clearly labelled
- Plot the points accurately using sharp pencil 'x' marks so the exact position of the point is obvious

- Draw a neat best fit line, either a smooth curve or a ruled line. It does not have to pass through all the points. Move the ruler around aiming for:
 - as many points as possible on the line
 - the same number of points above and below the line
- If the line starts linear and then curves, be careful not to have a sharp corner where the two lines join. Your curve should be smooth
- Confine your line to the range of the points. Never extrapolate the line beyond the range within which you measured
- Add a clear, concise title.

Remember: Take care, use only pencil and check the positions of your points.

Practice questions

- 1 Use your calculated data in Topic 5.2 question 3 to plot a graph of % mass change against sucrose concentration.
- 2 For each of the tables of data:
 - a Plot a scatter graph
 - b Draw a line of best fit
 - c Describe the correlation

Turbidity of casein samples at different pH	
pH	% transmission (blue light)
9.00	99
8.00	99
6.00	87
5.00	67
4.75	26
4.50	30
4.00	24
3.75	43
3.50	64

Sodium bicarbonate concentration / %	Rate of oxygen production by pondweed / mm³ s⁻¹
6.5	1.6
5.0	2.1
3.5	1.2
2.0	0.8
1.0	0.5
0.5	0.2

TASK 6

Now have a go at answering the following questions using your research notes that you have just made and some of the maths you have just done

Biochemistry Questions

- 3 a Name the type of reaction that would occur when:
- i monomers join to form a biological polymer (1 mark)
 - ii a biological polymer is separated into monomers. (1 mark)
- b Two monosaccharides can join to form a disaccharide.
- i Complete the word equation.
glucose + fructose → + (2 marks)
 - ii Name the type of bond formed between glucose and fructose. (1 mark)
 - iii Describe how you would test for the presence of glucose in a food sample. (2 marks)
- c i Describe the chemical difference between saturated and unsaturated fatty acids. (2 marks)
- ii Name one part of the cell where phospholipids are found. (1 mark)

4 The enzyme amylase catalyses the following reaction:



- a A student carries out this reaction and adds a few drops of iodine in potassium iodide to the reaction mixture.
- i State what colour would be seen if all the starch had been digested. (1 mark)
 - ii The student carried out the same reaction using amylase that had been boiled beforehand. State, and explain, what colour would be seen after adding iodine to this reaction mixture. (3 marks)

Cell Biology Questions

- 5 a Complete Table 1 to give two ways in which the structure of a plant cell differs from that of an animal cell. (2 marks)

Table 1

Plant cell	Animal cell
1.	
2.	

b **Table 2** shows the amounts of three different substances in the seeds of various plants.

Table 2

Plant	Percentage of total mass of three different substances in the seeds of various plants		
	Proteins	Polysaccharides	Lipids
buckwheat	15	84	1
brazil nut	14	8	78
mung bean	29	69	2
sesame	25	16	59

Name the plant seed which has the greatest percentages of

i polymers in its seeds

..... (1 mark)

ii nitrogen-containing substances in its seeds.

..... (1 mark)

c One of the polysaccharides found in plant seeds is starch. A student decided to find out which of the seeds had cells with the most starch. The student used a microscope and a suitable stain. Outline the method the student used.

.....

.....

..... (3 marks)

Adapted from AQA Biology June 2004

6 The table lists some features of prokaryotic cells, eukaryotic cells, and viruses.

Complete the table: **P** if feature is always present, **A** if feature is absent, **S** if feature sometimes occurs.

Feature	Prokaryotic cell	Eukaryotic cell	Virus
cell wall	P	S	A
cell-surface membrane			
ribosomes			
plasmid			
nucleic acids			
mitochondria			
capsid			
chloroplasts			

(7 marks)

b Amylase has tertiary structure but no quaternary structure.

i State the number of polypeptide chains in amylase.

(1 mark)

ii Covalent bonds can be found in amylase. Suggest two other types of bond that could be present in amylase.

(2 marks)

7 a The table below shows some features present in biological molecules.

Complete the table by using a tick (✓) to show if a feature is present.

	amino acid	starch	fatty acid
can be saturated or unsaturated			
contains glucose monomers			
contains the chemical group COOH			


(3 marks)

b A student designs an investigation to determine the effect of substrate concentration on the rate of an enzyme reaction.

They decide to carry out the investigation at 35 °C.

i State two other variables that must be kept constant during the investigation. (2 marks)

The results of the investigation are shown in the sketch graph below. The student repeats the same investigation, but in the presence of a competitive inhibitor of the enzyme.



ii Copy the graph and sketch another line to show results in the presence of a competitive inhibitor. (2 marks)

c Explain how the structure of phospholipids enables them to form cell membranes. (3 marks)

TASK 7

Prepare a PowerPoint presentation on some current methods of physiological testing in Medical Science that interests you. This will help with your skills to research and look into the content of unit 2.

The list below shows the tests you will be required to understand. Research how the test works, normal range results, outside normal range results and what diseases that could indicate.

Physiological measurement tests

- cardiac physiology (e.g. electrocardiograms (ECG): ambulatory and stress, echocardiography, exercise tolerance testing, blood pressure)
- respiratory physiology (e.g. respiratory rate, peak expiratory flow, spirometry, oximetry)
- neurophysiology (e.g. nerve conduction studies, electromyography, electroencephalography, evoked potentials)
- audiology (otoscopic examination, pure tone audiometry, tympanometry tuning fork tests)
- GI physiology (endoscopy, measurement of muscle and sphincter function)
- ophthalmic physiology (ophthalmic imaging, intra-ocular pressure measurements)
- urodynamics (free flow rate, cystometry)
- vascular function (scans: carotid, peripheral arterial, peripheral venous)

TASK 8 – optional extras!

Medicine TED talks

https://www.ted.com/playlists/432/what_you_need_to_know_about_me

https://www.ted.com/playlists/449/let_s_redesign_the_medical_exp

Youtube – loads here, but try to focus on the physiology & clinical tests

<https://www.youtube.com/user/Campbellteaching/playlists>

Quizizz & kahoot

Choose a topic & make your own revision quizizz/ kahoot to share with the group

MOOCs

Again, loads out there, but I would recommend doing this course first: <https://www.coursera.org/learn/physiology>
Please don't feel that you have to pay to produce a certificate to show you've completed this, but some screen shots of your progress would be great!

Read related books of your choice (lots of choice here, but I've suggested a few appropriate ones below). There are so many ways you can extend your understanding on this course.

